III. CLAIM AMENDMENTS

1. (Original) A method for creating a collection of selected geographical positions using a mobile terminal having a geographical position system and a memory for containing the collection of selected geographical positions, comprising the steps of:

    obtaining or determining the current geographical position of the mobile terminal; and

    storing the obtained position in the memory upon a user input.

2. (Original) A method according to claim 1, further comprising the step of adding an attribute to the saved geographical position.

3. (Currently Amended) A method according to claim 1 ~~or 2~~, wherein the mobile terminal comprises at least one key and the user input is carried out by pressing the at least one key.

4. (Currently Amended) A method according to <u>claim 1</u>~~any of claims 1 to 3~~, wherein said mobile terminal has a plurality of operating modes including one recording mode in which pressing

of the at least one key causes the current geographical position
to be saved.

5.   (Currently Amended) A method according to ~~claim 1~~any of
~~claims 1 to 4~~, wherein the mobile terminal has means for
performing mathematical operations, further comprising the step
of performing statistical and/or probability analysis on the
collection of geographical positions.

6.   (Currently Amended) A method according to ~~claim 1~~any of
~~claims 1 to 5~~, wherein the analysis preferably comprise analysis
of area related density of geographical positions, preferably
selectively within geographical positions with a given attribute
or with attributes within a given group.

7.   (Currently Amended) A method according to ~~claim 1~~any of
~~claims 1 to 6~~, wherein the mobile terminal is provided with
means for communicating data to other terminals, further
comprising the step of the mobile terminal sending geographical
positions stored in the memory to other terminals and/or
receiving geographical positions form other terminals.

8.   (Original) A method according to claim 7, wherein the
mobile terminal has an RF or IR receiver/transmitter, further
comprising the step of sending and/or receiving geographical
positions via an RF or IR based communication channel.

9.   (Original) A method according to claim 8, wherein the mobile terminal ·is a mobile phone or a communicator for use in a wireless cellular communication network and capable of sending and receiving text messages, further comprising the step of sending a text message including at least one geographical position from the memory, preferably including any associated attribute of the geographical position concerned, to one or more remote terminals.

10.   (Original) A method according to claim 9, wherein said one or more remote terminals are mobile phones or communicators, and one of the mobile phones or communicators functions as a server with a database of geographical positions.

11.   (Original) A method according to claim 8, wherein a server having a database containing geographical positions received from remote terminals is connected to the cellular network.

12.   (Currently Amended) A method according to <u>claim 5</u>any ~~of claims 5 to 11~~, further comprising the step of generating a map for illustrating the result of the statistical and/or probability analysis, preferably by generating and displaying a map of an area with a given density or density range of geographical positions with a given attribute or with attributes within a given group.

6

13. (Currently Amended) A method according to <u>claim 1</u>any of claims 1 to 12, wherein the attribute comprises a time and date stamp and/or a sound file, and/or an image file, and or a motion video file, and/or a text file.

14. (Original) A mobile terminal comprising means for obtaining or determining a current geographical position, a memory for storing selected geographical positions, a user interface and means for storing a current geographical position in the memory upon a user input.

15. (Original) A mobile terminal according to claim 14, further comprising means for adding an attribute to the saved geographical position.

16. (Currently Amended) A mobile terminal according to claim 14 or 15, further comprising a key that in at least one operational mode of the mobile terminal has the functionality of saving the current geographical position to the memory, preferably with a single depression of the key.

17. (Original) A mobile terminal according to claim 15, further comprising means for performing statistical and/or probability analysis on the geographical positions.

18. (Original) A mobile terminal according to claim 17, further comprising a display and means for generating and displaying a map with selected geographical positions from the memory.

19. (Currently Amended) A mobile terminal according to ~~claim~~ 14~~any of claims 14 to 18~~, further comprising an RF or IR transmitter/receiver for sending geographical positions from the memory to other terminals to other terminals or receiving geographical positions from other terminals.

20. (Currently Amended) A mobile terminal according to ~~claim~~ 14~~any of claims 14 to 19~~, the mobile terminal being a mobile phone or a communicator for use in a wireless cellular communication network and comprising means for sending and receiving text messages that include at least one geographical position, and preferably include any attribute associated with the geographical position concerned.

21. (Currently Amended) A mobile terminal according to ~~claim~~ 14~~any of claims 14 to 22~~, wherein the means for storing a current geographical position in the memory upon a user input is a software application on the mobile terminal.

22. (Currently Amended) A mobile terminal according to ~~claim~~ 17~~any of claims 17 to 21~~, further comprising means for of generating and displaying maps illustrating the result of the statistical and/or probability analysis.

8

23. (Original) An application, preferably a downloadable for creating a collection of selected geographical positions on a mobile terminal having a geographical position system and a memory for containing the collection of selected geographical positions, the application comprising:

means for obtaining or determining the current geographical position of the mobile terminal; and means for storing the obtained position in the memory upon a user input.